

Applic. No.: 10/629,926

Amdt. Dated September 23, 2005

Reply to Office action of June 23, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

Claim 1 (currently amended). A device for releasing chemical/physical parameters and for applying to bodies or body parts, the device comprising:

an applicator having at least two layers defining a space therebetween with at least two closed chambers or channels laterally adjacent one another, ~~the chambers or channels~~ each chamber or channel being independently and individually fillable with fluidic media for independently and individually releasing the chemical/physical parameters;

a control device connected to said applicator for controlling functional parameters, including a flow volume, a temperature, and a pressure, of the medium in said space; and

sensors connected to said control device, the media in the respective chambers or channels being controlled by said control device in dependence on the body parameters detected by said sensors.

Applic. No.: 10/629,926

Amdt. Dated September 23, 2005

Reply to Office action of June 23, 2005

Claim 2 (original). The device according to claim 1, wherein said sensors are biosensors for detecting body parameters of a body adjoining said applicator.

Claim 3 (original). The device according to claim 2, wherein said body parameters include a body temperature and an EKG output.

Claim 4 (original). The device according to claim 1, wherein said chambers are connected via closable openings.

Claim 5 (original). The device according to claim 1, wherein said chambers or channels are disposed in vicinity next to one another or below one another.

Claim 6 (original). The device according to claim 1, wherein at least one layer of said applicator is permeable or semipermeable for purposes of releasing the fluidic media onto the body part.

Claim 7 (original). The device according to claim 6, wherein said at least one layer is configured to face the body part.

Applic. No.: 10/629,926

Amdt. Dated September 23, 2005

Reply to Office action of June 23, 2005

Claim 8 (original). The device according to claim 6, wherein said at least one layer is formed with openings, pores, valves, or semipermeable weaves.

Claim 9 (original). The device according to claim 1, wherein at least one layer of said applicator is impermeable to the fluidic media in said chambers or channels.

Claim 10 (original). The device according to claim 9, wherein said at least one layer is averted from the body part.

Claim 11 (original). The device according to claim 1, wherein at least one of said layers is formed with at least one channel that is fillable with fluidic media.

Claim 12 (original). The device according to claim 11, wherein said at least one channel for releasing the fluidic media is permeable or semipermeable.

Claim 13 (original). The device according to claim 12, wherein said at least one channel is formed with openings.

Claim 14 (original). The device according to claim 13, wherein said openings are permeable on one side or said openings are permeable on both sides.

Applic. No.: 10/629,926

Amdt. Dated September 23, 2005

Reply to Office action of June 23, 2005

Claim 15 (original). The device according to claim 11, wherein said at least one channel for the fluidic media is impermeable.

Claim 16 (original). The device according to claim 11, wherein said at least one channel is disposed at a layer of said applicator facing the body part.

Claim 17 (original). The device according to claim 11, wherein said channel is one of a plurality of channels detachably attached to a layer of said applicator.

Claim 18 (original). The device according to claim 11, wherein said channel is one of a plurality of channels extending one inside another.

Claim 19 (original). The device according to claim 1, wherein each of said chambers is subdivided into additional mutually communicating subchambers.

Claim 20 (original). The device according to claim 1, wherein said control device is connected to valves in feed lines for said fluidic media, for controlling a flowthrough volume of the fluidic media.

Applic. No.: 10/629,926

Amdt. Dated September 23, 2005

Reply to Office action of June 23, 2005

Claim 21 (original). The device according to claim 1, wherein said layers of said applicator are produced from flexible material.

Claim 22 (original). The device according to claim 1, wherein said layers of said applicator are produced from a material selected from the group consisting of orientated polytetrafluoroethylene and polyvinylchloride.

Claim 23 (original). The device according to claim 1, wherein said applicator is disposed in a dimensionally stable casing surrounding the body or body parts at least partially.

Claim 24 (original). The device according to claim 23, wherein said sensors are disposed inside said stable casing.